

What is Claimed is:

1. A digital broadcasting receiver comprising:  
means for causing grouped channel groups to  
respectively correspond to allocation keys;

means for storing information related to channel  
selection of said channel group;

means for performing, when said allocation key is  
operated, channel selection processing with respect to  
one of channels in the corresponding channel group; and

means for displaying, when said allocation key is  
operated, the corresponding channel group as a list on  
a screen, to perform channel selection processing with  
respect to the channel selected by a user operation.

2. The digital broadcasting receiver according to  
claim 1, wherein

both the display of a received video tuned in to and  
the display of said list can be performed by the initial  
operation of the allocation key.

3. The digital broadcasting receiver according to  
claim 1, wherein

only the display of a received video tuned in to is  
performed by the initial operation of the allocation key,  
and

the display of said list can be performed on the  
received video by consecutively performing the second

and subsequent operations of the allocation key.

4. The digital broadcasting receiver according to claim 1, wherein

the position of a cursor on the displayed list is moved by the user operation, and

the channel in which the cursor is positioned is selected by performing a determination operation.

5. The digital broadcasting receiver according to claim 1, wherein

a number indicating the channel is shown in the displayed list, and

a user enters said number so that the channel is selected.

6. The digital broadcasting receiver according to claim 1, wherein

the channel groups are grouped in correspondence with any one of the same broadcasting enterpriser, the same network, and the same transport stream.

7. The digital broadcasting receiver according to claim 1, wherein

processing for causing the grouped channel groups to respectively correspond to the allocation keys is performed on the basis of a remote control key ID included in a digital broadcasting wave with respect to the allocation key having a number indicated by the remote

control key ID.

8. The digital broadcasting receiver according to claim 1, wherein

processing for causing the grouped channel groups to respectively correspond to the allocation keys is performed with respect to the allocation key having a number designated by a user.

9. A digital broadcasting receiver comprising:  
means for causing grouped channel groups to respectively correspond to allocation keys:

means for storing information related to channel selection of said channel group; and

means for performing, when said allocation key is operated, processing for selecting one of channels in the corresponding channel group,

the other channels are sequentially selected, every time said allocation key is operated, in the corresponding channel group.

10. The digital broadcasting receiver according to claim 9, wherein

the channel groups are grouped in correspondence with any one of the same broadcasting enterpriser, the same network, and the same transport stream.

11. The digital broadcasting receiver according to claim 9, wherein

processing for causing the grouped channel groups to respectively correspond to the allocation keys is performed on the basis of a remote control key ID included in a digital broadcasting wave with respect to the allocation key having a number indicated by the remote control key ID.

12. The digital broadcasting receiver according to claim 9, wherein

processing for causing the grouped channel groups to respectively correspond to the allocation keys is performed with respect to the allocation key having a number designated by a user.

13. The digital broadcasting receiver according to claim 9, wherein

the channel finally selected in the grouped channel groups is stored, and

said channel finally selected is first selected when the allocation key corresponding to the group including the selected channel is then operated.

14. The digital broadcasting receiver according to claim 9, where

a list of the grouped channel groups is displayed on a screen, and

there is provided means for displaying the selected channel and the other channel such that a user can

distinguish between the channels.